



BT SHELL MILL HOLDER WITH DRIVING SLOT & COOLANT

DIN ISO 7388-2 AD (JIS B 6339 MAS 403 BT)

QUERNUT-AUFSTECKFRÄSDORN DIN 6357 MIT VERGRÖSSERTEM
BUNDDURCHMESSER MIT KÜHLMITTEL



Artikelbezeichnung Item Code	Produktname Product name	d	D	L	A
HEI.B30.0316.40	BT 30 16 - 40	16	38	18	40
HEI.B30.0322.40	BT 30 22 - 40	22	48	18	40
HEI.B30.0327.40	BT 30 27 - 40	27	58	18	40
HEI.B30.0332.50	BT 30 32 - 50	32	78	28	50
HEI.B40.0316.40	BT 40 16 - 40	16	38	13	40
HEI.B40.0316.100	BT 40 16 - 100	16	38	73	100
HEI.B40.0316.130	BT 40 16 - 130	16	38	103	130
HEI.B40.0316.160	BT 40 16 - 160	16	38	133	160
HEI.B40.0322.40	BT 40 22 - 40	22	48	13	40
HEI.B40.0322.100	BT 40 22 - 100	22	48	73	100
HEI.B40.0322.130	BT 40 22 - 130	22	48	103	130
HEI.B40.0322.160	BT 40 22 - 160	22	48	133	160
HEI.B40.0327.40	BT 40 27 - 40	27	58	13	40
HEI.B40.0327.100	BT 40 27 - 100	27	58	73	100
HEI.B40.0327.130	BT 40 27 - 130	27	58	103	130
HEI.B40.0327.160	BT 40 27 - 160	27	58	133	160
HEI.B40.0332.50	BT 40 32 - 50	32	78	23	50
HEI.B40.0332.100	BT 40 32 - 100	32	78	73	100
HEI.B40.0332.130	BT 40 32 - 130	32	78	103	130
HEI.B40.0332.160	BT 40 32 - 160	32	78	133	160
HEI.B40.0340.50	BT 40 40 - 50	40	88	23	50
HEI.B40.0340.100	BT 40 40 - 100	40	88	73	100
HEI.B40.0340.130	BT 40 40 - 130	40	88	103	130
HEI.B40.0340.160	BT 40 40 - 160	40	88	133	160


BT SHELL MILL HOLDER DIN 6357

heikenei.com

FOR FACE MILLS WITH DRIVING SLOT & COOLANT

DIN ISO 7388-2 AD (JIS B 6339 MAS 403 BT)

QUERNUT-AUFSTECKFRÄSDORN DIN 6357 MIT VERGRÖSSERTEM
BUNDDURCHMESSER MIT KÜHLMITTEL



JIS B
6339

G 2.5
25.000
MIN

COOLANT

FORM
AD

ISO
7388-2



Artikelbezeichnung Item Code	Produktname Product name	d	D	L	A
HEI.B50.0316.55	BT 50 16 - 55	16	38	17	55
HEI.B50.0316.100	BT 50 16 - 100	16	38	62	100
HEI.B50.0316.130	BT 50 16 - 130	16	38	92	130
HEI.B50.0316.160	BT 50 16 - 160	16	38	122	160
HEI.B50.0322.55	BT 50 22 - 55	22	48	17	55
HEI.B50.0322.100	BT 50 22 - 100	22	48	62	100
HEI.B50.0322.130	BT 50 22 - 130	22	48	92	130
HEI.B50.0322.160	BT 50 22 - 160	22	48	122	160
HEI.B50.0327.55	BT 50 27 - 55	27	58	17	55
HEI.B50.0327.100	BT 50 27 - 100	27	58	62	100
HEI.B50.0327.130	BT 50 27 - 130	27	58	92	130
HEI.B50.0327.160	BT 50 27 - 160	27	58	122	160
HEI.B50.0332.55	BT 50 32 - 55	32	78	17	55
HEI.B50.0332.100	BT 50 32 - 100	32	78	62	100
HEI.B50.0332.130	BT 50 32 - 130	32	78	92	130
HEI.B50.0332.160	BT 50 32 - 160	32	78	122	160
HEI.B50.0340.55	BT 50 40 - 55	40	88	17	55
HEI.B50.0340.100	BT 50 40 - 100	40	88	62	100
HEI.B50.0340.130	BT 50 40 - 130	40	88	92	130
HEI.B50.0340.160	BT 50 40 - 160	40	88	122	160
HEI.B50.0360.80	BT 50 60 - 80	60	128	42	80